

G Fenders

Reduces stone chips

Improves the safety for other road users

Will not rust, non-corrosive

Proven in various climates (-40°F/+176°F)

Made from PP/EDPM



HL43G



Perfect for use in/on:

Agriculture
Utility Trailers
Light, Medium & Heavy Duty
Trucks

HL38C

Item#	(W) Width	(L)Length	Radius
4541	16	49	28.3
2731	12.4	44.3	26.75
5052	20	61	32.2
HL15	13.75	42.5	
HL16	16.5	55	
HL19	18.5	55	
HL20	26.75	62.25	
HL38C	21	80.75	26



VG09

⁻Please visit website for complete list-

gle Axle Fenders

National Fleet Products proudly offers
Jonesco commercial truck fenders.




HL33

Jonesco fender products are widely fitted as original equipment and distributed world wide to 42 countries.

Over 40 years experience and 8 million commercial vehicle fenders sold.



JX43A



KIT 3 optional for installation-sold separately



HL39B



HL38C

Item#	Surface Finish	Rim Size	Width	Width	(R) Radius	(L) Length	(S) Span	(H) Height	Valance	Kit
			Internal	External						
HL31	Smooth	22.5"	17.75"	18"	23.25"	73"	46.5"	23.25"	2.75"	KIT3
HL33	Smooth	16"-17"	19"	19.5"	20"	63"	40"	20"	2"	KIT3
HL38C	Smooth	22.5"	20.5"	21"	26"	80.75"	52"	30"	2"	KIT3
HL39B	Smooth	19.5"	21"	21"	20"	63.4"	40"	20"	2"	KIT3
HL40	Smooth	19.5"	21.5"	22"	21.5"	67"	43"	21"	2.75"	KIT3
HL43D	Smooth	20"-22.5"	24"	24.5"	21.5"	70.5"	43"	22.75"	2.75"	KIT3
HL47	Smooth	24.5"	26.5"	26.75"	27"	82"	54"	26"	3"	KIT3
JX43A	Texture with Ribs	20"-22.5"	24"	24.5"	25"	76"	50.4"	23.5"	2.75"	KIT3
JX45A	Texture with Ribs	20"-22.5"	25.5"	26"	25.5"	82"	51"	26.75"	3"	KIT3
				*Eyel	orow Fender	s				
HL43G*	Smooth	20"-22.5"	24"	24.5"	25.5"	60"	45"	17"	3"	KIT3
HL45D*	Smooth	20"-22.5"	25.5"	26"	25.5"	48"	40.5"	11"	3"	KIT3
HL45E*	Smooth	20"-22.5"	25.5"	26"	25.5"	60"	45"	17"	3"	KIT3
	Bla	ck standard	, other colr	s available	Kit Mo	unting Hardv	vare, sold s	eparately		

Tire Size to Single Axle Feners

TIRE SIZE	FENDER	TIRE SIZE	FENDER	TIRE SIZE	FENDER
205R14	HL33	225/75R17.5	HL33, HL39B	12R22.5	JX45A, HL47
205/75R14	HL33	235/75R17.5	HL39B	305/70R22.5	HL47B
215R14	HL33	245/70R17.5	HL39B	305/60R22.5	HL47B
185R15	J22	8R19.5	HL33	12/80R22.5	HL45E
6.70R15	J22	9.00R19.5	HL39B	315/60R22.5	HL45E
205/70R15	HL33	9.50R19.5	HL39B	315/70R22.5	HL47
215R15	HL33	245/70R19.5	HL39B, HL40	315/80R22.5	HL47
225/70R15	HL33	265/70R19.5	HL43D	13R22.5	HL47
225/75R15	HL33	285/70R19.5	HL43D	385/65R22.5	HL31
205/80R15	HL33	305/70R19.5	HL47B	15R22.5	HL38C
235/75R15	HL39B	6.50R20	HL33	16.5R22.5	HL38C
255/75R15	HL43D	7.00R20	HL33	425/65R22.5	HL38C
265/70R15	HL43D	7.50R20	HL39B	445/65R22.5	HL38C
7.50R15	HL33	8.25R20	HL39	18R22.5	HL38C
8.25R15	HL39B, HL33	9.00R20	HL40	11R24	HL47
10.00R15	HL43D	10.00R20	HL43A	12.00R24	HL47
175R16	HL33	10.5R20	JX43A	305/75R24	HL47
175/75R16	HL33	11.00R20	JX45A	14.5R24	HL38C
185R16	HL33	12.00R20	JX45A,JX43A	405/70R24	HL38C
185/75R16	HL33	8R22.5	HL33	455/70R24	HL38C
195R16	HL33	10R22.5	HL39B, HL40		
195/75R16	HL33	10/70R22.5	HL39B	Ι	
205R16	HL33	255/70R22.5	HL40	Ī	
205/75R16	HL39B	11R22.5	JX43A	I	
215R16	HL33	11/70R22.5	HL43D		
215/75R16	HL33	275/70R22.5	HL43D	Ι	
225/75R16	HL39B	275/80R22.5	JX43A	Ι	
7.50R16	HL33	285/60R22.5	HL43D	1	
8.25R16	HL33,HL39B	285/65R22.5	HL43D		
9.00R16	HL39, HL40	285/70R22.5	HL43D		
8.25R17	HL39B	295/70R22.5	HL45B	Ī	
8.5R17.5	HL33	295/80R22.5	JX45A	Ī	
9.5R17.5	HL39B	8	ė.	3	
10R17.5	HL39B				
205/75R17.5	HL33		-Please visit webs	site for complete lis	t-
215/75R17.5	HL33	-If you do not se	ee what you need lis	sted or have any qu	estions, please call-

andem Fenders




JHT650A60




JHT650N





JTZ105

Item #	Туре	Surface Finish	Rim Size	Width	(L) Length	(S) Span	(H) Height	(R) Radius	Kit
JHT650N	Double Tandem	Light Texture	22.5"-24.5"	25.5"	133"	108"	24.5"	55"	KIT1
JHT65A-60	Half Tandem	Light Texture	22.5"-24.5"	25.5"	60"	48.5"	25"	25"	KIT2
JH66	Half or Full Tandem	Light Texture	22.5"-24.5"	25.5"	60"	48.5"	25"	25"	KIT2
JHT65A-80	Half Extra Long	Light Texture	22.5"-24.5"	25.5"	80"	68.5"	25"	25"	KIT2
JTZ105	Double Tandem	Light Texture	22.5"-24.5"	25.5"	N/A	106"	23"	26"	KIT5
JTZ152	Tri Axle Center	Light Texture	22.5"-24.5"	25.5"	N/A	47"	23"	N/A	KIT6



Kit 1 Includes: Kit 2 Includes: **Kit 3 Includes:**

(4) JS43C (2) JS43C (2) JS44C (2) JS44C

(1) BAND CLAMPS (1) BAND CLAMPS

> (2) XPF38 (1) XPF38

Kit 4 Includes:

(4) JVR38

(2) JS43C (6) JS43C

Kit 5 Includes:

(1) BAND CLAMPS

(2) BAND CLAMPS

(2) XPF38

(2) XPF38

Kit 6 Includes:

(8) JS43C

(4) JS43C

(2) XPF38

Adjustable Kit 3A hardware



And **Kit 16**









JTP105

Jonesco plastic truck fenders have superior durability and will help to increase the lifespan of the equipment they are used on.

Made of 100% recyclable polyethylene

No sharp jagged edges

Plastic truck fenders never rust, fade or need to be painted


The color is molded throughout; when the fender scuffs or scratches the cosmetic damage is less visible


Never needs maintenance, other than the occasional wash

Item#	Surface	Rim Size	Width	(L) Length	(S) Span	(H) Height	(R) Radius	Kit
REAR								
JTP98	Textured	22-1/2"-24-1/2"	26-1/2"	110"	98"	16"	25"	KIT5
FRONT								
JTP105	Textured	22-1/2"-24-1/2"	26-1/2"	116"	105"	16"	N/A	KIT5
JTP129	Textured	22-1/2"-24-1/2"	26-1/2"	140"	129"	16"	N/A	KIT5
JTP139	Textured	22-1/2"-24-1/2"	26-1/2"	155"	139"	16"	N/A	KIT5

Black standard, other colors available

Mounting KIT5 optional for installation






Flat Top Fenders

Jtility Fenders



JX37F






J05F

Item #	Surface Finish	Rim Size	Width	(L) Length	(S) Span	(H) Height
J05F	Gloss Flat Top	13"-15"	8-1/2"	19-1/2"	35"	19"
JX06F	Matt Flat Top	13"-15"	10-3/4"	15-3/4"	35-1/4"	19"
J27F	Gloss Flat Top	14"-16"	18-1/2"	19-1/2"	34-1/2"	17-3/4"
JX37F	Matt Flat Top	16"-17-1/2"	20"	15-3/4"	39-1/4"	21-1/2"
J28F	Gloss Flat Top	16"-17-1/2"	18-1/2"	19-1/2"	39-1/4"	20-1/2"
J36F	Gloss Flat Top	20"-22.5"	18-1/2"	27-1/2"	51"	29-3/4"
J41F	Gloss Flat Top	16"-17-1/2"	22-1/2"	24-3/4"	44-1/2"	21-1/2"
J43F	Gloss Flat Top	19.5"-22-1/2"	24-1/2"	27-1/2"	49-1/4"	24-1/2"
J46F	Gloss Flat Top	16"-22-1/2"	26-1/2"	29-1/2"	53-1/2"	28-1/2"







Item#	Surface Finish	Rim Size	Width	(R) Raduis	(L) Length	(S) Span	(H) Height
S	Single Tire						
J01	Gloss	12"-15"	7-3/4"	N/A	54"	32-1/2"	17-3/4"
J01SE	Gloss, Flat 1 Side	13"-14"	7-3/4"	N/A	47-1/2"	29-1/2"	14-3/4"
J06C	Gloss	15"-16"	10.5"	18.5"	63"	37.5"	21"
J12	Gloss	15"-22-1/2"	11-3/4"	21-1/2"	68"	44-3/4"	21-1/2"
J22	Gloss	14"-16"	16-3/4"	17-1/2"	56"	35"	18-1/4"
HL09	Matt Heavy Duty	14"-16"	11-1/2"	16"	50-1/4"	32"	16-1/4"
VG09	Matt	14"-16"	11-1/2"	16"	50-1/4"	32"	16-1/4"
Small D	Oouble Tandems						
JT1864	Gloss	10"-12"	7-1/2"	11-1/2"	N/A	48"	9-3/4"
JT2072	Gloss	13"-15"	28-1/2"	13-3/4"	16"	17-3/4"	17-3/4"
JT2086	Gloss	15"-16"	8-1/4"	14"	N/A	60-1/2"	17-3/4"
JW2483	Gloss, Flat 1 Side	15"-16"	10-1/4"	N/A	N/A	62-1/4"	15"





JBWE70



JBDE73



JBXE83



JBWE95



JFEX03



JBFR64



JBFR65



JBFR75

Wall or vehicle mount fire extinguisher cabinets for indoor/outdoor use to protect extinguishers from exposure to dirt, dust, water, rust & chemicals

Ideal for truck cabs, storage lots, fuel islands, etc.

Made of 100% polyethylene (PE)

Cabinet color black/red

Rubber seal & clear polycarbonate windows that block UV rays

Includes plastic hinge pins & left or right door openings

Hook-and-loop straps keep extinguisher secure inside








Kit 65


Item#	Height	Width	Dept	Description				
	Front Load							
JEBE06	24"	8-3/4"	9-1/2"	One 10 lb. extinguisher				
JBWE70	27-1/2"	11-3/4"	10"	One 10-20 lb. extinguisher				
JBDE73	26"	14-1/2"	12"	One 20-30 lb. extinguisher				
JBXE83	32-1/2"	12-1/2"	10-1/2"	One 20 lb. extinguisher				
JBWE95	37"	17.5"	11"	For use with CO extinguisher				
			Top L	.oad				
JFEX03	16-3/4"	8-1/4"	5-1/2"	One 2-1/2 to 5 lb. extinguisher				
JBFR64	25-1/4"	9-7/8"	9-7/8"	One 10 lb. extinguisher				
JBFR65	25"	10-1/4"	10-7/8"	One 10 lb. extinguisher				
JBFR75	29-1/2"	12"	12"	One 20 lb. extinguisher				



Item









Shield your documents or tools out of the rain & elements, while keeping it in excellent condition with our document holder. US letter size.


We have a variety of molded Polyethylene tubes that are trouble free and resists damage from corrosion, chemicals, salt, etc. They have been on trucks, tractors, farm equipment, motorcycles, etc...



Jocument















Material: Polyethylene MD Capacity: 8 and 13 Gallon

With soap bottle 8.5 fl oz. with dispenser pump Mounts under body for easy use and storage

Available in standard black color, white & gray available

Mounting brackets available

Code	Description	Capacity	A (in)	B (in)	C (mm)
525515010	Tanky 8 white	8 gallon	13.75	14 1/8	17
525015030	Tanky 8 black	8 gallon	13.75	14 1/8	17
525715030	Tanky 8 gray	8 gallon	13.75	14 1/8	17
525515050	Tanky 13 white	13 gallon	14 1/8	15	17
525015050	Tanky 13 black	13 gallon	14 1/8	15	17
525715050	Tanky 13 gray	13 gallon	14 1/8	15	17







311625001	Mounting Kit for fixing to the floor	Tanky 8 & 13 Gal	Α
311626001	Mounting Kit for fixing to the frame	Tanky 8 & 13 Gal	В
311628001	Mounting Kit flanged pipes for fixing to the frame	Tanky 8 Gal only	C

Contact Us

National Fleet Products 208 Capital Drive Buffalo, MN 55313

Business: (763) 762-3451

Fax: (763) 762-3461

sales@nationalfleetproducts.com www.nationalfleetprodcuts.com

Please contact one of our Sales Representatives to find out how you can become a Distributor Find us on Facebook, LinkedIn and YouTube